## Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) An image process system comprising: an image display member on which an image is displayed; and an image process apparatus, wherein:

the image display member includes a data storage unit for storing data; data, and the data image process apparatus includes:

a image read unit for reading the displayed-image; and image;

a data input/output unit for performing at least one of reading the stored data and writing another data into the data storage unit. data; and

an image process unit for synthesizing the read image with the read data.

2. (Currently Amended) An image process apparatus comprising:

a image read unit for reading an image displayed on an image display<del>-member; and member;</del>

a data input/output unit for performing at least one of reading data stored in a data storage unit included in the image display member and writing another data into the image display member, member; and

an image process unit for synthesizing the read image with the read data.

- 3. (Canceled)
- 4. (Currently Amended) The image process apparatus according to claim 2, further comprising:

an original accumulation unit for accumulating the image display member; and a transport unit for transporting the accumulated image display member to a position where the displayed image is read, wherein:

the data input/output unit performs the at least at least one of reading the data stored in the accumulated image display member and writing another data into the accumulated image display member.

- 5. (Currently Amended) The image process apparatus according to claim 4, wherein when the accumulated image display member is a plurality of image display members, the data input/output unit performs the at least one reads or writes the data stored in a plurality of data storage units with respect corresponding to the plurality of image display members.
- 6. (Currently Amended) The image process apparatus according to claim 4, further comprising:
  - a display unit for displaying the read data, wherein:

when the image display member is accumulated at the original accumulation unit, the data input/output unit performs reading reads the stored data.

- 7. (Currently Amended) The image process apparatus according to claim 2, further comprising:
- a transport unit for transporting the accumulated image display member to a position where the displayed image is read, wherein:

the data input/output unit-performs the at least one reads or writes the data stored in the data storage unit-with respect to the image in the image display member being transported.

- 8. (Currently Amended) The image process apparatus according to claim 2, further comprising:
- a fix unit for fixing the image display member at a position where the displayed image is read, wherein:

the data input/output unit performs the at least one with respect to reads or writes the data stored in the data storage unit in the fixed image display member.

- 9. (Currently Amended) An image process method comprising:

  reading data stored in a data storage unit in an image display member; and member;

  reading image an image displayed on the image display member. member; and synthesizing the read image with the read data.
- 10. (Currently Amended) The image process method according to claim 9, further comprising:

writing another data into the data storage unit in the image display member.

11. (Currently Amended) A program A computer-readable medium encoded with a computer program making a computer perform a process comprising:

reading data stored in a data storage unit in an image display member; and member; reading image an image displayed on the image display member. member; and synthesizing the read image with the read data.

12. (Currently Amended) The <u>computer-readable medium encoded with a computer</u> program according to claim 11, wherein the process further includes: writing another data into <u>the data storage unit in</u> the image display member.